# ARCHITECTURAL HARDWARE





FMF GLASS HARDWARE

Made by Professionals, for **Professionals** 

# Architectural Hardware

FMF offers the most comprehensive portfolio of products designed to cover your architectural requirements, in addition to our expertise as the leading supplier of architectural glass hardware. We have established ourselves as one of the most dependable names in the architectural glass hardware industry.

As glass hardware suppliers, we provide:

- HYP Series Hydraulic Hinges
- Glass Door Locks
- Patch Fittings
- Handles
- Sliding Systems

Our high-grade products provide innovative solutions and a superior user experience. FMF is upping the standard for architectural glass hardware so you can achieve more than just perfection. All these products are fit for 10-12 MM tempered glass and come with upto 3-years limited warranty.









#### LIGHT- DUTY HYDRAULIC HINGE 80KG CAPACITY

Buy FMF Hydraulic Hinges (Light-Duty - 80kg) for an undisturbed look on your glass door installations. They provide durability, due to the capability to sustain the impact of constant opening and closing of doors. They have a Maximum Door Weight of 175 LBS (80 KG) & a Maximum Door Width: Not Exceeding 32"

Technical Specifications	Light- Duty Hydraulic Hinge 80kg
Construction Material	Aluminum Body With 304 Grade Stainless Steel Cover Plate
Function:	To Open & Hold Glass Doors At A 90° Angle, When Closing, Door Swing Speed Can Be Adjusted To Preference
Cutout Required:	Industry Standard, Refer To Attached Diagram on website
Use:	For Interior Use Only, Self closing, No Digging required

Model No.	Finish
HYP-80.SS	Brushed Stainless
HYP-80.PS	Polished Stainless
HYP-80.BL	Matte Black
HYP-80.SB	Satin Brass
HYP-80.SA	Satin Anodized



### STANDARD- DUTY HYDRAULIC HINGE 100KG CAPACITY

This Hinge is designed to support the doors, allowing an all-visible look to hardware installations like cover plates. They are easy to install and give an appealing look to the overall design of the doors. These hinges are of high quality and durable with an excellent surface. They have a Maximum Door Weight of 225 LBS (100 KG) & a Maximum Door Width: Not Exceeding 36".

Technical Specifications	Standard- Duty Hydraulic Hinge 100kg
Construction Material	Aluminum Body With 304 Grade Stainless Steel Cover Plate
Function:	To Open & Hold Glass Doors At A 90° Angle, When Closing, Door Swing Speed Can Be Adjusted To Preference
Cutout Required:	Industry Standard, Refer To Attached Diagram on website
Use:	For Interior Use Only, Self closing, No Digging required

Model No.	Finish
HYP-100.SS	Brushed Stainless
HYP-100.PS	Polished Stainless
HYP-100.BL	Matte Black



### Standard Duty Non-Hold Hydraulic Hinge 100KG CAPACITY

The Non-Hold Standard Duty Hydraulic Hinge is a practical and efficient choice for interior glass door installations where a hold-open function is not required. Designed for 10–12mm tempered glass, this hinge delivers smooth, self-closing action with adjustable speed. Ideal for both residential and light commercial use, it offers reliable performance without the need for digging or floor modifications.

Technical Specifications	Standard Duty Non-Hydraulic Hinge 100kg
Construction Material	Aluminum Body With 304 Grade Stainless Steel Cover Plate
Function:	To Open and Not Hold Open, When Cosing Swing Speed can be Adjusted
Cutout Required:	Industry Standard, Refer to Diagram on Website
Use:	For Interior Use, No Digging Required

Model No.	Finish
HYP-102.BL	Matte Black
HYP-102.SS	Brushed Stainless



#### HEAVY- DUTY HYDRAULIC HINGE 150KG CAPACITY

This hinge is constructed with an aluminum Body and a Stainless Steel cover plate. Hence, they are durable and able to withstand the constant impact of opening and closing doors. Applicable for interior use, these hinges are easy to install without the requirement of digging. They have a Maximum Door Weight of 330 LBS (150 KG) & a Maximum Door Width: Not Exceeding 39"

Technical Specifications	Heavy- Duty Hydraulic Hinge 150kg
Construction Material	Aluminum Body With 304 Grade Stainless Steel Cover Plate
Function:	To Open & Hold Glass Doors At A 90° Angle, When Closing, Door Swing Speed Can Be Adjusted To Preference
Cutout Required:	Industry Standard, Refer To Attached Diagram on website
Use:	For Interior Use Only, Self closing, No Digging required

Model No.	Finish
HYP-150.SS	Brushed Stainless
HYP-150.PS	Polished Stainless
HYP-150.BL	Matte Black

## Hydraulic Patch Fitting Kits





#### Hydraulic Patch Fitting kit Standard duty-100kg

**Construction Material:** Aluminum Body With 304 Grade Stainless Steel Cover Plate

Kit Includes: 1 HYP-100 Hydraulic Hinge, 1 PAT-02 Patch

Fitting, 1 PAT-PIN Pivot Pin

Accessories: Screws, Bolts, Gaskets (Used For 10MM

Tempered Glass), Allen Wrench, Fabrication Diagram, Instructions Sheet

For Interior Use Only, Self closing, No Digging required

Model No. Finish

HYP-101.SS Brushed Stainless HYP-101.BL Matte Black

Discover superior door functionality and modern aesthetics with this kit. Crafted to elevate your glass door experience, this kit offers a seamless blend of form and function. Engineered for easy installation and smooth operation, it ensures your glass doors open and close effortlessly, making it a perfect choice for both residential and commercial applications.



#### Hydraulic Patch Fitting kit Light Duty- 80kg

**Construction Material:** Aluminum Body With 304 Grade Stainless Steel Cover Plate

**Kit Includes:** 1 HYP-80 Hydraulic Hinge, 1 PAT-02 Patch Fitting, 1 PAT-PIN Pivot Pin

Accessories: Screws, Bolts, Gaskets (Used For 10MM Tempered Glass), Allen Wrench, Fabrication Diagram, Instructions Sheet

For Interior Use Only, Self closing, No Digging required

For interior use Only, Self closing, N		
Model No.	Finish	
HYP-81.SS HYP-81.BL HYP-81.SA HYP-81.SB	Brushed Stainless Matte Black Satin Anodized Satin Brass	
This kit is built	to meet your needs,	

This kit is built to meet your needs, offering reliability & durability in one package. Whether you're upgrading an existing door or installing a new one, this kit is the perfect choice. With easy installation and the assurance of high-quality performance, your doors will effortlessly glide open and close, creating an impressive and inviting entryway.



#### Hydraulic Patch Fitting kit Heavy duty-150kg

**Construction Material:** Aluminum Body With 304 Grade Stainless Steel Cover Plate

**Kit Includes:** 1 HYP-150 Hydraulic Hinge, 1 PAT-02 Patch Fitting, 1 PAT-PIN Pivot Pin

Accessories: Screws, Bolts, Gaskets (Used For 10MM Tempered Glass), Allen Wrench, Fabrication Diagram, Instructions Sheet

For Interior Use Only, Self closing, No Digging required

Model No.	Finish
HYP-151.SS HYP-151.BL	Brushed Stainless Matte Black

This kit is engineered for heavy use while maintaining a sleek and elegant appearance. Whether you're installing new doors or upgrading existing ones, this kit offers unparalleled performance. With easy installation and a focus on durability, your glass doors will effortlessly glide open and close, creating a lasting impression in any environment. Upgrade your space with it.





#### Lock for Hydraulic Door Rail System

**Construction Material:** 316 Grade Stainless Steel **Function:** Locks open and close the HYP-R100

Hydraulic Door Rail System No Cutout Required

Model No. Finish

HYP-R02.BN Brushed Nickel HYP-R02.BL Matte Black

Introducing our state-of-the-art Lock for Hydraulic Door Rail System, a pinnacle of security and functionality brought to you by FMF Glass Hardware. With locking components engineered to perfection, this product ensures unparalleled security, assuring peace of mind for both residential and commercial applications.



#### 4" Sidelite Rail System

Compatible: 4" Commercial Door Rail System Length: 120"

Includes roll-in gasket for 1/2" glass

Model No. Finish

SRC4-10.BN Brushe

SRC4-10.BN Brushed Nickel SRC4-10.BL Matte Black

The 4" Sidelite Rail System is an essential component for storefront installations, offering comprehensive hardware solutions when paired with the 4" Sidelite Rail System. This system is designed to be compatible with existing hardware, making it ideal for replacement work and seamless integration.



#### 4" Sidelite Rail System End Cap

Several Finishes Available to Match Sidelite Rails Quick and Simple setup Use Monolithic Tempered Glass

Model No. Finish

SRC4-CAP.BN Brushed Nickel SRC4-CAP.BL Matte Black

The 4" Sidelite Rail System End Cap provides a clean and professional finish for sidelite rail systems. Designed for quick and hassle-free installation, this endcap enhances the durability and aesthetics of glass rail assemblies.



#### Hydraulic Door Rail System

Applicable For: 12MM Tempered Glass

Construction Material: Aluminum Body With 316 Grade

Stainless Steel Cover Plate

**Function:** Hold Open at 90 degrees. When closing, Door Swing can be adjusted to preference

Width: 2 Inches; Height: 4.25 Inches; Length: 35.5 Inches

No Cutout Required; Self Closing

Model No.	Finish	Length
HYP-R10036.BL	Matte Black	36"
HYP-R10036.BN	<b>Brushed Nickel</b>	36"
HYP-R10038.BL	Matte Black	38"
HYP-R10038.BN	<b>Brushed Nickel</b>	38"

Experience the perfect blend of form and function as our Hydraulic Bottom Door Rail redefines convenience in glass hardware. Whether it's for residential or commercial use, the speed-adjustable feature adapts to your preferences, while the self-closing mechanism adds an extra layer of sophistication to your space.



#### 4" Commercial Top Door Rail

Top-Door Rail System / Width: 2" Height: 4 1/4" Length: 37 3/4" / Applicable For: 10-12MM Tempered Glass / Construction Material: Aluminum Body With 316 Grade Stainless Steel Cover Plate / No Cutout Required

Model No.	Finish	Length
TOP-DR0136.BL TOP-DR0136.BN TOP-DR0138.BL TOP-DR0138.BN	Matte Black Brushed Nickel Matte Black Brushed Nickel	38"

The FMF Commercial Top Glass Door Rail Profile offers a strong, durable, and compact solution for frameless glass door installations. Designed with a lock-free profile, this rail provides a clean, modern aesthetic while ensuring strength and long-lasting reliability. Perfect for commercial, residential, and hospitality applications, this top rail complements frameless glass doors, partitions, and railings.

## G-Series Hydraulic Hinges



FMF offers a variety of hydraulic hinges for a constant and efficient opening and closing of the door. These hinges allow the door to close itself smoothly. They are applicable for both interior and exterior use. The hinges can rotate 90° to 180° with a constant speed. These are fit for 10-12 MM tempered glass and come with a 1-year limited warranty.

All hinges come with a limited 1-year warranty. These hinges are easy to install, manufactured with high-quality standards and are safe and durable for years to come!



### 180° HYDRAULIC HINGE GLASS-TO-GLASS

Constructed with high-quality these Hinges, ensure quality and longevity. They are sturdy and are able to resist daily wear and tear due to the usage of the door. Sold In Pairs (Top & Bottom Hinge)

They have a Maximum Door Weight of 175 LBS (80 KG) & a Maximum Door Width: Not Exceeding 36".

Technical Specifications	180° Hydraulic Glass-to-Glass Hinge
Construction Material	316 Grade Stainless Steel
Function:	To Open & Hold Glass Doors At A 90° Angle, When Closing, Door Swing Speed Can Be Adjusted To Preference
Cutout Required:	Industry Standard, Refer To Attached Diagram on website
Use:	For Both Exterior & Interior Use; Self Closing

Model No.	Finish
HYP-203.SS	Brushed Stainless
HYP-203.BL	Matte Black



### 90° HYDRAULIC HINGE WALL -MOUNT

Designed for interior and exterior use, these hinges can be installed easily and conveniently. The hinges allow the doors to automatically close, saving time and effort for the user. Sold In Pairs (Top & Bottom Hinge).

They have a Maximum Door Weight of 175 LBS (80 KG) & a Maximum Door Width: Not Exceeding 36".

Technical Specifications	90° Hydraulic Glass-to-Glass Hinge  316 Grade Stainless Steel  To Open & Hold Glass Doors At A 90° Angle, When Closing, Door Swing Speed Can Be Adjusted To Preference  Industry Standard, Refer To Attached Diagram on website  For Both Exterior & Interior Use; Self Closing	
Construction Material		
Function:		
Cutout Required:		
Use:		

Model No.	Finish
HYP-201.SS	Brushed Stainless
HYP-201.BL	Matte Black





#### Sidelite Mount Transom Patch Fitting

Cut Out Required: Refer To Attached Diagram on website

Construction Material: Aluminum Body With 304 Grade Stainless Steel Cover Plate

Function: Connects Transom to Sidelite Glass Panel

Pivot Pin Is Included For Interior Use Only

PAT-01.SS Brushed Stainless
PAT-01.BL Matte Black
PAT-01.PS Polished Stainless
PAT-01.SB Satin Brass
PAT-01.SA Satin Anodized

This Patch Fitting is durable & easy to use. They're a practical component of architectural projects with beautiful finishes to enhance the theme.





#### **Top Door Patch Fitting**

Cut Out Required: Refer To Attached Diagram on website

Construction Material: Aluminum Body With 304 Grade Stainless Steel Cover Plate

Function: Connects Door to Ceiling/ Fixed Transom Glass Panel Pivot Pin Is Not Included For Interior Use Only

Model No.	Finish
PAT-02.SS	Brushed Stainless
PAT-02.BL	Matte Black
PAT-02.PS	Polished Stainless
PAT-02.SB	Satin Brass
PAT-02.SA	Satin Anodized

These are suitable for top-quality pivot point installation. They are flexible enough to any fitting requirement with the right installation. Their construction in aluminum gives them durability and strength to fight the impact of daily usage of glass doors.



#### Top L-Crank Patch Fitting

Cut Out Required: Refer To Attached Diagram on website

Construction Material: Aluminum Body With 304 Grade Stainless Steel Cover Plate

Function: Connects Transom

Door Swings Both Ways For Interior Use Only

Model No. Finish

PAT-04.SS Brushed Stainless
PAT-04.BL Matte Black
PAT-04.PS Polished Stainless
PAT-04.SB Satin Brass
PAT-04.SA Satin Anodized

These patch fittings are widely appreciated for their faultless performance by our clients. They are designed to fix over panel and side panels. They can keep a smooth surface for a long time.



#### **Wall Mounted Pivot Patch Fitting**

Cut Out Required: Refer To Attached Diagram on website

Construction Material: Aluminum Body With 304 Grade Stainless Steel Cover Plate

Function: Connects Transom Glass Panel to Door Pivot Pin Is Included For Interior Use Only

PAT-03.SS Brushed Stainless
PAT-03.BL Matte Black
PAT-03.PS Polished Stainless
PAT-03.SB Satin Brass
PAT-03.SA Satin Anodized

These are designed to secure patch fittings to pivot patch. Applicable for interior use only, these fittings are one of the popular choices of builders and architects for their architectural projects.



#### Prima Patch Fitting

New Product

Cut Out Required: Refer To Attached Diagram on website

Construction Material: Aluminum Body With 304 Grade Stainless Steel Cover Plate

Function: Connects Door to Ceiling/ Fixed Transom Glass Panel Pivot Pin Is Not Included For Interior Use Only

Model No.

PAT-07.SS Brushed Stainless PAT-07.BL Matte Black PAT-07.PS Polished Stainless

Finish

Suitable for interior spaces of commercial properties and for top-quality pivot point installation. They are flexible enough to any fitting requirement with the right installation.



#### Top Crank Patch Fitting

Cut Out Required: Refer To Attached Diagram on website

Door Only Opens One Way For Interior Use Only

Construction Material: Aluminum Body With 304 Grade Stainless Steel Cover Plate

Function: Connects Transom Glass

PAT-05.SS PAT-05.BL PAT-05.PS

Model No.

Brushed Stainless Matte Black Polished Stainless

Finish

These are designed to fix over panel and side panels. Suitable for interior applications, these fittings enable the movement of the door in both directions. These fittings are sturdy to retain their original shape & resist rust.



#### Commercial Bottom Door Patch with Pivot Insert

Cut Out Required: Refer To Attached Diagram on website.

Model No.

Construction Material: Aluminium Body With 304 Grade Stainless Steel Cover Plate

Pivot Pin Is Included

PAT-08.SS Brushed Stainless PAT-08.BL Matte Black

Finish

Function: Connects Transom Glass Panel to Door

Are used with our bottom door pivots or floor closers. It fits in the lower corner of the glass panel, and requires a hole and cut-out in the glass. Available in brushed or polished stainless steel finishes.



#### **Door Stop Patch Fitting**

Cut Out : No Cut-Out Required Compatible with: PAT-01

2 Holes For Mounting Screws For Interior Use Only

Construction Material: Aluminum Body With 304 Grade Stainless Steel Cover Plate

Function: Stops Door From Open-

ing On Both Sides

Model No. Finish PAT-06.SS Brushed Stainless PAT-06.BL Matte Black

Used for an effective all-glass appearance, these Door Stop Patch Fittings are seen in offices or other commercial spaces. They are compatible with all FMF patch products.



#### Patch Pivot - Bottom Free-Swinging Pivot for Floor Mounting

Cut out : No Cut-Out Rquired

Construction Material: Aluminium Body With 304 Grade Stainless Steel Cover Plate Function: Support heavier glass doors

Model No. Finish PAT-09.SS Brushed Stainless PAT-09.BL Matte Black

This pivot provides a 440 lb. (200 kg) weight capacity to support heavier glass doors commonly used with bottom Door Rails and Patch Fittings.

www.fmfglasshardware.com www.fmfglasshardware.com

#### Floor Mounted Adjustable Free-Swing Pivot

Cut out : No Cut-Out Rquired

Construction Material: Aluminium Body With 304 Grade Stainless Steel Cover Plate Model No.

PAT-10.SS

PAT-10.BL

Finish

Brushed Stainless Matte Black

designed to allow a 3/16" (5 mm) height adjustment of the door. The height of the door can be adjusted after installation.



#### **Drum Pin Patch Fitting**

Cut Out Required: Refer To Attached Diagram on website

Construction Material: 304 Grade Stainless Steel

Function: Secures top patch fittings


Pivot Pin Is Included For Interior Use Only

Model No. Finish

PAT-PIN.SS Brushed Stainless
PAT-PIN.BL Matte Black
PAT-PIN.PS Polished Stainless
PAT-PIN.SB Satin Brass
PAT-PIN.SA Satin Anodized

They are an excellent choice for accomplishing glass door installations in commercial areas. These fittings provide a touch of elegance to the overall installation of the glass doors. Appropriate for offices & hotels.

## Commercial Door Handles



Where do you see glass doors? Everywhere! From malls, and hotels, to sophisticated houses. Glass doors are an essential part of a structural architectural design. Hence, choosing the door handles for glass doors is an important part of the overall theme and look of the area. These are fit for 10-12 MM tempered glass and come with a 3-years limited warranty.

FMF commercial glass door handles are available in 5 types: Locking Pull Handles, Ladder Style Square Handle, Ladder Style Round Handle, and Round Door Handle. Promoting easy opening and closing of the glass doors, FMF glass door handles are perfect for your architectural project.

## Commercial Door Handles



#### COMMERCIAL LADDER STYLE ROUND HANDLE

Technical Specifications	Commercial Ladder Style Round Handle	
Construction Material	304 Grade Stainless Steel	
Projection from Surface:	3" Projection	
Cutout Required:	Refer To Attached Diagram on website	
Use:	For Both Exterior & Interior Use	

H-Round Handle Size	Matte Black (BL)	Brushed Stainless (SS)	Polished Stainless (PS)	Satin Brass (SB)	Satin Andonized (SA)
12"	CH11-8.BL	CH11-8.SS	CH11-8.PS	-	-
24"	CH11-12.BL	CH11-12.SS	CH11-12.PS	CH11-12.SB	CH11-12.SA
30"	CH11-18.BL	CH11-18.SS	CH11-18.PS	-	-
36"	CH11-24.BL	CH11-24.SS	CH11-24.PS	-	-
48"	CH11-36.BL	CH11-36.SS	-	-	-
60"	CH11-48.BL	CH11-48.SS	-	-	-
72"	CH11-60.BL	CH11-60.SS	-	-	-



Technical Specifications	Commercial Ladder Style Square Handle	
Construction Material	304 Grade Stainless Steel	
Projection from Surface:	3" Projection	
Cutout Required:	Refer To Attached Diagram on website	
Use:	For Both Exterior & Interior Use	

#### OFFSET COMMERCIAL ROUND HANDLE

These offset ladder-style handles will not only complement the look of the glass doors but also provide strength to pull the handles. They come in pairs for installing each handle on the opposite sides of the glass door.

Handle Size	Matte Black (BL)	Brushed Stainless (SS)
24"	CH13-12.BL	CH13-12.SS
30"	CH13-18.BL	CH13-18.SS
36"	CH13-24.BL	CH13-24.SS
48"	CH13-36.BL	CH13-36.SS
60"	CH13-48.BL	CH13-48.SS
72"	CH13-60.BL	CH13-60.SS



#### COMMERCIAL ROUND HANDLE

FMF Commercial Round Door Handles are designed to add a refined touch to the glass doors. Adding a glass door to any architectural design is common today. Hence, the glass door handles for these glass doors become a critical component as the handles can enhance the overall look.



Handle Size	Matte Black (BL)	Brushed Stainless (SS)
12"	CH10-12.BL	CH10-12.SS
18"	CH10-18.BL	CH10-18.SS
24"	CH10-24.BL	CH10-24.SS



#### COMMERCIAL LADDER STYLE SQUARE HANDLE

These back-to-back handles are one of the preferred hardware components for architects and designers to enrich the look of the glass doors, along with providing support to the doors for pulling and closing them. Choose our glass door handles for complementing your glass doors in any area.

Technical Specifications	Commercial Ladder Style Square Handle	
Construction Material	304 Grade Stainless Steel	
Projection from Surface:	3" Projection	
Cutout Required:	Refer To Attached Diagram on website	
Use:	For Both Exterior & Interior Use	

H-Square Handle Size	Matte Black (BL)	Brushed Stainless (SS)
12"	CH12-12.BL	CH12-12.SS
24"	CH12-24.BL	CH12-24.SS
36"	CH12-36.BL	CH12-36.SS







#### COMMERCIAL ROUND HANDLE CAP

Cap for Commercial H-Style Round Pull Handle / Applicable For: 10-12MM Tempered Glass / Construction Material: 304 Grade Stainless Steel / Cut Out Required: Please Refer To Attached Cut Out Diagram Above / Size: 32mm Dia + 40mm Length Bolt

Model	No	Finis	h
wodei	NO.	rinis	n

CH11-CAP.BL Matte Black
CH11-CAP.SS Brushed Stainless

Add a sophisticated touch to your glass door with FMF's commercial glass door handles. Our solid brass glass door handles are designed to complement the overall bathroom décor with maximum functionality.



#### SQUARE TUBE COMMERCIAL PULL HANDLE

Square Tube Commercial Pull Handle / Applicable For: 10-12MM Tempered Glass / Construction Material: 304 Grade Stainless Steel / Cut Out Required: Please Refer To Attached Cut Out Diagram Below


Square Handle Size	Matte Black (BL)	Brushed Nicke (BN)
12"	CH14-12.BL	CH14-12.BN
24"	CH14-24.BL	CH14-24.BN
36"	CH14-36.BL	CH14-36.BN

For Use With: 3/8" to 1/2" (10 to 12 mm)

Construction: 1" (25 mm) Square Stainless Steel Tubing

Glass Fabrication Required: Two 3/8" (12 mm) Diameter Holes

# Commercial Locking Handles







#### COMMERCIAL LOCKING PULL HANDLE

Length "A"	Length "B"	Matte Black (BL)	Brushed Stainless (SS)
36"	48''	LH11-36.BL	LH11-36.SS
48''	60''	LH11-48.BL	LH11-48.SS

Technical Specifications	Commercial Locking Pull Handle
Construction	304 Grade Stainless Steel, 1 year limited warranty
Projection from Surface:	3" Projection
Cutout Required:	Refer To Attached Diagram on website







#### 200 Series Glass Door Locks

Cut Out Required: Refer To Attached Diagram on website Construction Material: Aluminum Body With 304 Grade Stainless Steel Cover FMF Pro Commercial Glass Door Lock

Model No.	Finish
GDL-200.SS	Brushed Stainless
GDL-200.BL	Matte Black

3 Keys Included For Interior Use Only

The locks come with keys & gaskets to safeguard the glass. Made of Stainless Steel, the glass door locks are durable, resistant to corrosion, & can withstand harsh weather impact.



#### 400 Series Glass Door Locks

Cut Out Required: Slip-On Lock, No Cut Out Required Construction Material: Aluminum Body With 304 Grade Stainless Steel Cover Plate Circle Glass Door Lock 3 Keys Included For Interior Use Only

Model No.	Finish	
CDI_400 SS	Brushed Stainles	

GDL-400.SS Brushed Stainle GDL-400.BL Matte Black These locks are the best choice for anyone looking for a combination of maximum security, design, and quality. They do not require any cut-outs on the glass, offering a seamless appearance of the glass door.



#### 300 Series Glass Door Locks

Cut Out Required: Refer To Attached Diagram on website Construction Material: Aluminum Body With 304 Grade Stainless Steel Cover Plate Rectangular Commercial Glass Door Lock 3 Keys Included For Interior Use Only

Model No.	Finish	Use
GDL-300.SS	Brushed Stainless	Glass-Glass

The neat rectangular shape with curved edges provides a sophisticated appearance to the overall theme around the glass doors. The fixed and solid handles are strong enough to pull and push them multiple times for several years.



#### **402 Series Glass Door Locks**

Cut Out Required: Slip-On Lock, No Cut Out Required, With Thumb Lock Construction Material: Aluminum Body With 304 Grade Stainless Steel Cover Plate 3 Keys Included For Interior Use Only

Model No.	Finish
GDL-402.SS	Brushed Stainless
GDI-402.BI	Matte Black

Get the best value of our glass door locks by installing them on your glass doors at the front gate, patio, etc. They are available in several styles, such as glass-toglass locks & glassto-wall locks, along with a Brushed Stainless finish to match every design requirement of architects. With these, your security is improved.



#### **500 Series Glass Door Locks**

Cut Out Required: Refer To Attached Diagram on website Construction Material: Aluminum Body With 304 Grade Stainless Steel Cover Plate For Interior Use Only Glass Door Latch Lock, Twist and Turn

Model No.	Finish
GDL-500.SS	Brushed Stainless
GDL-500.BL	Matte Black
GDL-500.PS	Polished Stainless

Whether you are looking to remodel the existing property to build new construction, glass doors are in trend. If you are installing glass doors at your new commercial or residential project, then try our 500 Series Glass Door Locks for securing these glass doors.



#### Glass-to-Glass/ Floor Door Latch

Glass Door Latch Lock Twist & Turn Lock
/ Applicable For: 10-12MM Tempered
Glass / Construction Material: Aluminum
Body With 304 Grade Stainless Steel Cover
/ Shipping Weight: 1.6 LBS (725 Grams
Approx.) / Cut Out Required: Please Refer
To Attached Cut Out Diagram Above /
Accessories: Gaskets, Fabrication Diagram

Model No.	Finish		
GDL-502.BL	Matte Black		
GDL-502.BN	Brushed Nicke		

Glass Door Latch Lock Twist & Turn Lock / Applica-ble For: 10-12MM Tempered Glass / Construction Material: Aluminum Body With 304 Grade Stainless Steel Cover / Shipping Weight: 1.6 LBS (725 Grams Approx.) / Cut Out Required: Please Refer To Attached Cut Out Diagram Above / Accessories: Gaskets, Fabrication Diagram




#### Glass Floor Latch

Cut Out Required: 2 Holes With 10mm Diameter Construction Material: 316 Grade Stainless Steel Function: Floor Latch For Glass Gates, Primarily Used For Pool Fencing For Interior & Exterior Use 3" Gap

Model No.	Finish	Use
GATE-LAC03.SS	Brushed Stainless	Glass-Glass
GATE-LAC03.BL	Matte Black	Glass-Glass

The latch locks firmly into the floor, offering not only security but also a clean & unobtrusive appearance. Measuring 7" in length from the base and featuring a hole-to-hole size of 13/4", this latch is a versatile addition to your pool area. Upgrade the safety & style of your pool fencing with it.



#### Modern Smart Digital Lock with WIFI

No Cutout Required, Slip-on Lock Construction Material: Aluminum Body With 304 Grade Stainless Steel Cover Plate For Interior Use Only Features: Wifi support, Inbuilt Doorbell, Bluetooth, Unlocks With Password, Key Card, Mechanical key, Fingerprint or Supported Phone Application.

Model No.	Finish	Use
SGDL-G300	Matte Black	Glass-Glass

This lock has a modern design that complements glass doors without obstructing their transparent look. The lock is available in a matte black finish, adding to the elegance of its surroundings. Our smart door locks are operated with wifi, fingerprint unlocking, code unlocking, key card as well as remotely with the phone app.



#### 600 Series Glass Door Locks

Cut Out Required: Refer To Attached Diagram on website Construction Material: Aluminum Body With 304 Grade Stainless Steel Cover Plate Rectangular Glass Door Lock

Model	No.	Finish

GDL-600.SS Brushed Stainless
GDL-600.BL Matte Black
GDL-600.PS Polished Stainless

For Interior Use Only 3 Keys Included

With easy installation, these locks are quite versatile. Their design features a modern style to coordinate with a wide range of themes of glass doors. Keys and gaskets included to prevent damage.



#### **Smart Digital Locks**

No Cutout Required, Slip-on Lock Construction Material: Aluminum Body With 304 Grade Stainless Steel Cover Plate For Interior Use Only Features: Inbuilt Doorbell, Unlocks With Pass-code, Key Card, Fingerprint or Supported Phone Application.

Model No.	Finish	Use
SGDL-W200	Matte Black	Glass-Wall
SGDL-G100	Matte Black	Glass-Glass

These state-of-theart digital locks have a classic design which doesn't obstruct the transparent look of the glass doors. We carry the Matte Black finish of the smart locks to accommodate the elegance of the overall design & theme of the area.



#### 700 Series Glass Door Locks

Cut Out Required: Refer To Attached Diagram on website Construction Material: Aluminum Body With 304 Grade Stainless Steel Cover Plate Rectangular Side + Bottom Glass Door Lock

Model No.	Finish
GDL-700.SS	Brushed Stainless
GDL-700.BL GDL-700.PS	Matte Black Polished Stainless

For Interior Use Only 3 Keys Included

With several beautiful finishes, choose our glass door locks to coordinate with the varied interior themes of the area where the glass doors are installed. These locks provide complete security with a key lock to secure the position.



#### 703 Series Glass Door Locks

Cut Out Required: Refer To Attached Diagram on website Construction Material: Aluminum Body With 304 Grade Stainless Steel Cover Plate Rectangular Side + Bottom Glass Door Lock with Thumb Lock & Round Pine Cyclinder

Model No.	Finish
GDL-703.SS	Brushed Stainles
GDL-703.SA	Satin Anodized
GDL-703.BL	Matte Black
GDL-703.SB	Satin Brass

These locks are the best choice for anyone looking for a combination of maximum security, design, and quality. They do not require any cut-outs on the glass, offering a seamless appearance of the glass door.



#### **800 Series Glass Door Locks**

Cut Out Required: Refer To Attached Diagram on website Construction Material: Aluminum Body With 304 Grade Stainless Steel Cover Plate Glass Door Lock With Movable Handle

Finish

GDL-800.SS	Brushed Stainles
GDL-800.BL	Matte Black

Model No.

For Interior Use Only 3 Keys Included

These locks provide safe performance & are fit to use for 10-12mm tempered glass. They have a smooth surface, which is suitable for a wide range of glass doors. The movable handle allows for easy one-side opening and closing of the door.







#### Glass-Glass Self-Closing Gate Hinge

Cut Out Required:	Refer To Attached Diagram on Website	Model No.	Finish
Accessories:	Screws, Bolts and Gaskets	POLG-203.SS POLG-203.BL	Brushed Stainless Matte Black
Construction Material:	Aluminium Body With 2205 Grade Stainless Steel		





#### Glass-Wall Self-Closing Gate Hinge

Cut Out Required:	Refer To Attached Diagram on Website	Model No.	Finish
Accessories:	Screws, Bolts and Gaskets	POLG-200.SS POLG-200.BL	Brushed Stainless Matte Black
Construction Material:	Aluminium Rody with 2205 Grade Stainless Steel	200.02	







#### 90° Right Open Glass-to-Glass Fence Lock

Cut Out Required: Refer To Attached Diagram on website Construction Material: Aluminum Body With 316 Grade Stainless Steel Cover. 90° Glass On Right Hand Side Magnetic Glass Door Lock 2 Keys Included For Both Interior & Exterior Use Model No.

FGDL-90R.SS

Brushed Stainless

Finish





#### Round Post Glass Fence Lock

Cut Out Required: Refer To Attached Diagram on website Construction Material: Aluminium body with 316 Grade Stainless Steel Cover.Mounts To FMF Round Railing Posts Magnetic Glass Door Lock 2 Keys Included For Both Interior & Exterior Use 3 Holes For Mounting Screws Model No. Finish

FGDL-00R.SS Brushed Stainless





#### 90° Left Open Glass-to-Glass Fence Lock

Cut Out Required: Refer To Attached Diagram on website Construction Material: Aluminum Body With 316 Grade Stainless Steel Cover. 90° Glass On Left Hand Side Magnetic Glass Door Lock 2 Keys Included For Both Interior & Exterior Use Model No.

Finish

FGDL-90L.SS

Brushed Stainless






#### 180° Left Open Glass-to-Glass Fence Lock

Cut Out Required: Refer To Attached Diagram on website Construction Material: Aluminum Body With 316 Grade Stainless Steel Cover. 180° Left Side Glass Open Model Magnetic Glass Door Lock 2 Keys Included For Both Interior & Exterior Use Model No.

Finish

FGDL-180.SS FGDL-180.BL Brushed Stainless Matte Black





#### Square Post Glass Fence Lock


Cut Out Required: Refer To Attached Diagram on website Construction Material: Aluminium body with 316 Grade Stainless Steel Cover. Mounts To FMF Square Railing Posts

Magnetic Glass Door Lock 2 Keys Included For Both Interior & Exterior Use 3 Holes For Mounting Screws

Model No. Finish

FGDL-00S.SS Brushed Stainless FGDL-00S.BL Matte Black





#### **Mechanical U-Channel**

Mechanical Channel for Commercial Use Pre-Drilled Holes Every 12" For Quick Install Does Not Require Holes In Glass Height: 1.5"; Length: 120"

Model No.	Finish	Size
MUC-1012.BL	Matte Black	10/12mm
MUC-1012.SS	<b>Brushed Stainless</b>	10/12mm

Makes Glass Installation Easier Construction Material: Aluminum Kit Includes: Aluminium Channel Extrusion, Cladding Cover, 10 Setting Blocks, 2 End Caps

With easy installation, these locks are quite versatile. Their design features a modern style to coordinate with a wide range of themes of glass doors. Keys and gaskets included to prevent damage. With easy installation, these locks are quite versatile. Their design features a modern style to coordinate with a wide range of themes of glass doors. Keys and gaskets included to prevent damage.




#### 1.5" Mechanical U-Channel End Cap

Upgrade your commercial glass installations with our Mechanical U-Channel, designed to make your projects easier and more efficient. Crafted from durable aluminum, this channel is built to last and can accommodate 10-12mm tempered glass, ensuring both strength and aesthetics.

Model No.	Finish	Size
MUC-1013.SS	Brushed Stainless	10/12mr
MUC-1013.BL	Matte Black	10/12mr


## Cladding For Mechanical U-Channel




Our Additional Set of Cladding for Mechanical U-Channel is designed to enhance the look and durability of glass panels. Perfect for both commercial and residential projects, this cladding gives a sleek, finished appearance while protecting the glass edges.

Model No.	Finish	Size
MUC-1014.SS	Brushed Stainless	10/12mm
MUC-1014.BL	Matte Black	10/12mm

## Commercial U-Channels





#### **Commercial Aluminum U-Channel**

Glazing Gasket Sold Separately Construction Material: Aluminum Applicable For: 10-12mm Tempered Glass Size: 12' Length Available

Model No.	Finish	Size
CUC341.BN	Brushed Nickel	1" x 0.5"
CUC341.BL	Matte Black	1" x 0.5"
CUC1.BN	Brushed Nickel	1" x 1"
CUC1.BL	Matte Black	1" x 1"
CUC1.SA	Satin Anodized	1" x 1"

FMF U-Channels offer versatility and are used as a frame to secure fixed glass panels in shower areas or other glass partition areas. They are sharp in design and are lightweight, yet strong. The channels are durable and resistant to corrosion. These come with a 3-years limited warranty.

Model No.	Finish	Size
CUC112.BN	Brushed Nickel	1" x 1.
CUC112.BL	Matte Black	1" x 1.
CUC112.SA	Satin Anodized	1" x 1.
CUC2.BN	Brushed Nickel	1" x 2'
CUC2.BL	Matte Black	1" x 2'
CUC2.SA	Satin Anodized	1" x 2"





#### Hydra Series Guide Rail

Applicable for: FMF Commercial HSK Series Sliding Door Kits Construction Material: Aluminum

Note: 6pcs of Glass Connectors (HSK-01) are required for 120" Guide Rails (for Glass mount applications)

Model No. Finish

HSK-0310.BN Brushed Stainless HSK-0310.BL Matte Black





#### Hydra Series Sliding Door System

Included With Kit: 2 Wheel Rollers, 2 Door Stopper Softeners, 2 Spring Holders, 2 Track End Caps, 2 Floor Guiders, 2 End Caps, 1 Round Ring Pull, 10 Foot Rectangular Track

Construction Material: 304 Grade Stainless Steel Maximum Door Weight: 110 KG Function: Slides Door, Wall/ Ceiling Mounted

Model No. Finish

HSK-02W.SS Brushed Stainless HSK-02W.BL Matte Black

This versatile system redefines the way you experience your living areas, offering effortless and smooth door movement while adding a touch of sophistication to any room. Whether you want to optimize space utilization or create an eye-catching room divider, this sliding door system is the perfect choice.



#### Hydra Series Glass Connector

Applicable for: FMF Commercial HSK Series Sliding Door Kits

Construction Material: 304 Grade Stainless Steel

Note: 6pcs of Glass Connectors (HSK-01) are required for 120" Guide Rails (for Glass mount applications)

Model No. Finish

HSK-01.SS Brushed Stainless
HSK-01.BL Matte Black

Introducing the HSK Series Glass Connector, a sleek and indispensable component within our collection of glass hardware at FMF Glass Hardware. Crafted to perfection, this connector is tailored specifically for the HSK Series Commercial Sliding Door Kit, providing a seamless and secure connection for your glass doors.



#### Office Sliding Door System

Included With Kit: 2 Anti Lift Rollers, 2 Door Stoppers, 4 Mounting Brackets, 1 Floor Guider, 2 End Caps, 98" Round Bar Construction Material: 304 Grade Stainless Steel

Barn Door Style Function: Door Slides 180° Left & Right Maximum Door Weight: 100 kg

Model No.	Finish	Use
LSK-02W.SS	Brushed Stainless	Wall Mount
LSK-02W.BL	Matte Black	Wall Mount
LSK-02W.PS	Polished Stainless	Wall Mount
LSK-02G.SS	Brushed Stainless	Glass Mount
LSK-02G.BL	Matte Black	Glass Mount
LSK-02G.PS	Polished Stainless	Glass Mount



#### **LSK-Series Brackets**

Compatible With LSK Series Commercial Sliding Kits Construction Material: 304 Grade Stainless Steel Function: To Secure Glass or Wall Mounted Panels

Model No.	Finish	Use
LSK-05.SS LSK-05.BL LSK-05.PS LSK-01.SS LSK-01.BL LSK-01.PS	Brushed Stainless Matte Black Polished Stainless Brushed Stainless Matte Black Polished Stainless	Wall Mount Wall Mount Wall Mount Glass Mount Glass Mount Glass Mount

With perfect balance and modern sophistication, LSK-Series Glass or Wall Mount Brackets for sliding doors define a secure connection of glass doors.



#### Heavy Duty Office Sliding Door System

Included With Kit: 2 Anti Lift Double Rollers, 2 Door Stoppers, 4 Mounting Brackets, 1 Floor Guider, 2 End Caps, 98" Round Bar Construction Material: 304 Grade Stainless Steel

Barn Door Style Function: Door Slides 180° Left & Right Maximum Door Weight: 120 kg

Model No.	Finish	Use
LSK-04W.SS	Brushed Stainless	Wall Mount
LSK-04W.BL	Matte Black	Wall Mount
LSK-04G.SS	Brushed Stainless	Glass Mount
LSK-04G.BL	Matte Black	Glass Mount



#### **Rod-Wall Connector**

Compatible With LSK Series Commercial Sliding Kits Construction Material: 316 Grade Stainless Steel Function: Connects From End Of The Bar To Wall

Model No.	Finish
LSK-06.SS	Brushed Stainless
LSK-06.BL	Matte Black
LSK-06.PS	Polished Stainless

This connector is specifically designed to ensure smooth operation and stability for sliding doors, enhancing the functionality and aesthetics of your office space. The connector is designed to provide a sleek and unobtrusive appearance, complementing the overall design of your office interiors.



#### LSK Series Sliding Door Bar

Construction Material: 304 Grade Stainless Steel Applicable For: FMF Commercial Sliding Door Kits 25mm Diameter

Model No.	Finish	Length
LSK-0308.SS	Brushed Stainless	8 ft
LSK-0308.BL	Matte Black	8 ft
LSK-0308.PS	Polished Stainless	8 ft
LSK-0310.SS	Brushed Stainless	10 ft
LSK-0310.BL	Matte Black	10 ft
LSK-0310.PS	Polished Stainless	10 ft

FMF L-Series Sliding Door Bar is an excellent choice for the installation of sliding doors at your office. They can be installed in interior/exterior spaces with confidence as they provide adequate support to sliding doors.



#### Sliding Door System Installation Tool

Compatible with: LSK Series Sliding door kits Construction Material: 304 Grade Stainless Steel Function: To Assist With The Installation Of the LSK Series Sliding Kits Adjustable to size

#### Model No.

TOOL-LS.02

Whether it is the renovation of commercial space or building a new project, our Sliding Door System Installation Tools provide maximum support and make your installation process seamless. You can adjust the size as per installation requirements.



Glazing	<b>U-Channel</b>
Gasket	

Commercial U-Channel Gasket Construction Material: Black Rubber

Model No.	Size	Length
GAS-10.25	10 mm	25ft
GAS-10.50	10 mm	50ft
GAS-10.100	10 mm	100ft
GAS-10.500	10 mm	500ft
GAS-12.25	12 mm	25ft
GAS-12.50	12 mm	50ft
GAS-12.100	12 mm	100ft
GAS-12 500	12 mm	500ft

They are essential seals for openings of glass installations and protect them in a safe and effective way. They are designed practically with black rubber to provide strength and durability for a long time. The construction of our gaskets provides an elegant appearance and attractive design to the glass doors.



#### **Oval Decorative Door Stopper**

Construction Material: 304 Grade Stainless Steel Floor Mounted

Size: 43mm

Model No. Finish

DSTP-05.SS Brushed Stainless DSTP-05.BL Matte Black



#### Pin Decorative Door Stopper

Construction Material: 304 Grade Stainless Steel Side Mounted Size: 52 x 90mm

Model No. Finish

DSTP-04.SS Brushed Stainless DSTP-04.BL Matte Black



#### Circular Decorative Door Stopper

Construction Material: 304 Grade Stainless Steel Floor Mounted Size: 25x30mm

Model No. Finish

DSTP-03.SS Brushed Stainless DSTP-03.BL Matte Black



#### **Door Stopper**

Compatible With: FMF Patch Fitting Products Construction Material: 316 Grade Stainless Steel 2 Holes

Model No.	Finish	Size
DSTP-02.SS	Brushed Stainless	2"
DSTP-02.BL	Matte Black	2"
DSTP-06.SS	Brushed Stainless	6"
DSTP-06.BL	Matte Black	6"

Try our door stoppers for your commercial space such as an office. Used to stop, hold the door properly, they are ideal for your renovation project and promise long life and corrossion resistance features.

# **FMF**

company made by professionals, for professionals.

### Mississauga

Woodbridge

**Concord** 

7205 Tranmere Drive, Unit 9, Mississauga ON, LS5 1N4.

info@fmfglasshardware.com 905.819.6969

7611 Pine Valley Drive, Unit 8, Woodbridge ON, L4L 0A2.

 $in fo @ fm fhardware solutions. com\\ 416.775.9507$ 

8161 Keele Street, Unit 2 Concord Ontario L4K 1Z3

 $in fo@fmfhardware supply.com\\905.915.4649$ 

